

ERMO  [®]



PRODUCT CATALOG

X - LINE
- LINE SPECIAL WALNUT

HUNTING



X-LINE -LINE SPECIAL WALNUT



ERMOX is a company of avid shotgunners who never stop thinking about new and innovative ways to make our products even better. The sporting version of the X-LINE perfectly embodies this "SPECIAL." Using the popular field model as a basis, we refined the recoil-absorbing cheek-comb pad, raised the wide sporting rib, and outfitted the barrel with porting to get your second shot on target quickly. Available in 12-, 20- and 28-gauge models, it cycles even the lightest target loads (e.g., 7/8 oz. in 12-gauge).

Light, nimble, and ruggedly built, ERMOX X-LINE/SPECIAL is the workhorse of the ERMOX semi-automatic line. Designed around the ultrareliable Inertia Driven® System, this shotgun will digest anything from 2¾" target loads to the heaviest 3" magnums.

The adjustable comb can be moved horizontally ¼ inch from the center line of the stock in either a left or right direction. The comb can be adjusted vertically upward ½ inch by using washers that slide over the post. These comb adjustments insure that the shooter's eye is in alignment with the center line of the rib

X - LINE
- LINE SPECIAL WALNUT



Experience the performance, quality, features and value that set our X-LINE shotguns above all others in their class. Enjoy the fit and feel offered by their sleek profiles, slim forends and integrated ergonomics to produce superior pointability. The barrels have weather-resistant Cerakote finish, Precision Cone Patterning for improved shot patterns, and upgraded fiber-optic sights to get you on target fast in most lighting conditions. Stocks are adjustable for drop and cast to ensure a great fit. TSA recoil pads dramatically reduce felt recoil, even when using magnum loads. Wide loading ports, along with large bolt releases and oversized bolt handles will be appreciated by hunters wearing gloves in cold or inclement weather. Take your shooting to the next level.

TECHNICAL SPECIFICATIONS:

Operation System	: Auto-Regulating Gas-Operated System
Caliber	: 12 ga
Chamber	: 76 mm / 3"
Receiver	: 7075 Aluminum
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 61 cm (24") - 66 cm (25") - 71 cm (27") - 76 cm (29")
Buttstock	: Stable, Graded Turkish Walnut
Coating	: Blued, Nickel, Bronze, Cerakote
Capacity	: 5+1
Choke Options	: Mobile Choke Se
Weight	: 7.4 pounds
Overall Length	: 51,57"

X-LINE SYNTHETIC

With its superior design, the stock of **X-LINE SYNTHETIC** is specially crafted from sturdy and lightweight polymer material, combining elegance and durability to offer you a unique shooting experience.



SYN-01



SYN-02

TECHNICAL SPECIFICATIONS:

Operation System	: Auto-Regulating Gas-Operated System
Caliber	: 12 ga
Chamber	: 76 mm / 3"
Receiver	: 7075 Aluminum
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 61 cm (24") - 66 cm (25") - 71 cm (27") - 76 cm (29")
Buttstock	: Stable, Synthetic
Coating	: Blued, Nickel, Bronze, Cerakote
Capacity	: 5+1
Choke Options	: Mobile Choke Set
Weight	: 7.4 pounds
Overall Length	: 51,57"



X-LINE Speed has the World Famous ARGO mechanism featuring with extended charging port, extended release button and customizable/extendable tubular magazine.

TECHNICAL SPECIFICATIONS:

Operation System	: Auto-Regulating Gas-Operated System
Caliber	: 12 ga
Chamber	: 76 mm / 3"
Receiver	: 7075 Aluminum
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 47cm 18,5" 61 cm (24") - 66 cm (25") - 71 cm (27") - 76 cm (29")
Buttstock	: Stable/Fixed
Coating	: Blued, Nickel, Bronze, Cerakote, Camouflage
Capacity	: 5+1, 7+1, 10+1
Choke Options	: Mobile Choke Set
Weight	: 7.4 pounds
Overall Length	: 51,57"



**SIDE BY SIDE
SERIES**

SIDE BY SIDE



12 SE



20 AE



410 DLX

SIDE BY SIDE



The Ermox Side by Side shotgun seamlessly blends classic and modern elements, offering reliable performance for a variety of shooting needs. With external hammers and a double trigger, it stands as the embodiment of Cowboy readiness. The shotgun's aluminum receiver and stunning stock made of Turkish Walnut embody timeless characteristics, providing both durability and aesthetics. Ideal for your shotgun requirements, the Ermox Side-By-Side shotgun showcases a break-open action. Experience the impressive performance of the Ermox Side by Side shotgun for all your shooting endeavors.

TECHNICAL SPECIFICATIONS:


Operation System	: Side by Side Break Action
Caliber	: 12 / 20 / 410
Chamber	: 76mm / 3"
Receiver	: 4140 Forged Steel
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 51 / 61 / 71 cm (20" / 24" / 28")
Buttstock	: Stable, Graded Turkish Walnut
Coating	: Chrome
Capacity	: 2
Choke Options	: Mobile Choke Set
Weight	: 4,8 - 5,9 Pounds
Overall Length	: 36" - 37"



**ROCKY
SXS**

ROCKY SXS

Rocky model Side by Sides promise durability, elegance, and performance. Featuring an selected Turkish Walnut Stock with customizable receiver engravings and color. Available in 12 gauge, built on a true forged steel frame with precision laser engraved detail. The Rocky comes standard with 5 chokes, brass bead front sight and a selective top tang safety. The Rocky holds Huglu's archaic craftsmanship and cutting edge technology for a reasonable pricing.



ROCKY SXS

TECHNICAL SPECIFICATIONS:

Operation System	: Boxlock Side by Side
Caliber	: 12
Chamber	: 3" / 76mm
Receiver	: 4140 Forged Steel
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 51cm (20") - 61 cm (24") - 66 cm (25") - 72 cm (28")
Buttstock	: Stable (Turkish Walnut/Synthetic)
Coating	: Chrome, Nickel, Cerakote, Camouflage
Capacity	: 4+1 / 7+1 / 9+1
Choke Options	: Mobile Choke Set
Weight	: 5.9 pounds
Overall Length	: 92cm (36,22 ")





**OVER AND UNDER
SERIES**

OVER AND UNDER MODELS



12 SOE



12 A0



20 S0



410 A0

OVER AND UNDER MODELS



The Ermox Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

TECHNICAL SPECIFICATIONS:

Operation System	: Over and Under
Caliber	: 12 / 20 / 410
Chamber	: 76 mm / 3"
Receiver	: 7075 Aluminum / 4140 Forged Steel
Barrel	: 4140 Steel (Solid/Drilled Material Processing)
Length of Barrel	: 51 / 61 / 71 cm (20" / 24" / 28")
Buttstock	: Turkish Walnut
Coating	: Black, Nickel, Cerakote, Color Case
Capacity	: 2
Choke Options	: Mobile Choke Set
Weight	: 6,6 Pounds
Overall Length	: 36" - 37"



LR-X

LR-X



The LR-X Over and Under presents an excellent option for activities such as hunting, survival, or recreational shooting. It is currently offered in 12ga version. Boasting the appearance, sensation, and operation of an over-and-under shotgun, complete with an appealing wooden buttstock and handguard, it combines these features with the adaptability of a rimfire cartridge. The gun's dual barrels are independently fired by distinct triggers, controlled by a convenient top tang safety for swift and reliable use.

The LR-X model is customizable, offering either an upper rib or a Fiber Optic front sight, along with various rear sight choices and a Picatinny rail for optics attachment. Crafted with portability in mind, the firearm can be folded in half by a lever.

LR-X



TECHNICAL SPECIFICATIONS:

Operation System	: Over and Under Lever Break Action
Caliber	: 12ga
Chamber	: 76mm
Receiver	: 4140 Drilled Solid Steel
Barrel	: 4140 Steel,(Solid/Drilled) /
Length of Barrel	: 24,26,28,30"
Buttstock	: Stable, Graded Turkish Walnut
Coating	: Blued, Nickel, Bronze, Cerakote, Chrome Plated
Capacity	: 2
Choke Options	: Mobile Choke Set
Weight	: 4,8 - 5,9 Pounds
Overall Length	: 36" - 37"



SINGLE
BREAK
SERIES

SBX



SBX



SBX-10



SBX-11




SBX-12


Ermox Break-Action shotguns are based on one of the oldest shotgun designs around, updated with modern performance and safety features. They feature barrels and chambers that unlock from each other and pivot on a hinge to allow for loading. Spent shells are automatically ejected from the breech.

TECHNICAL SPECIFICATIONS:

Operation System	: Single Break Action with EJECTOR
Caliber	: 12
Chamber	: 3" / 76 mm
Receiver	: 4140 Forged Steel
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 47cm (18,5")-51cm (20") -61 cm (24") - 66 cm (25") - 71 cm (27")
Buttstock	: Stable (Turkish Walnut/Synthetic)
Coating	: Chrome, Nickel, Cerakote, Camouflage
Capacity	: 4+1 / 7+1 / 9+1
Choke Options	: Mobile Choke Set
Weight	: 5,07 Pounds
Overall Length	: 124 cm (48,81 ")



RVL-4



ultra light

RVL-4



RVL-4

TECHNICAL SPECIFICATIONS:

Operation System	: Revolver Action
Caliber	: .410
Chamber	: 36mm
Receiver	: 4140 Steel,(Solid/Drilled Material Processing, 50Cr4 Rockwell)
Barrel	: 4140 Steel,(Solid/Drilled Material Processing, Extra Strong for Slug)
Length of Barrel	: 47cm (18,5")-51cm (20") -61 cm (24") - 66 cm (25") - 71 cm (27")
Buttstock	: Stable (Turkish walnut)
Coating	: Chrome, Nickel, Cerakote, Camouflage
Capacity	: 5
Choke Options	: Mobile Choke Set / Slug
Weight	: 5,2 pounds
Overall Length	: 97cm (38,18 ")

** CAN BE ADJUSTED UP, DOWN AND RIGHT LEFT WITH ADJUSTABLE SIGHTS

*** ALL THE MECHANICAL PARTS ARE UNDERGONE HEAT TREATMENT (38/40 ROCKWELL)



SAX
SERIES



SA X SERIES



SA X1



SA X2



SA X3

SA X SERIES



SA X4



SA X5



SA X6

SA X SERIES



SA X7



SA X8



SA X9

SA X SERIES



SA X10



SA X11

TECHNICAL SPECIFICATIONS:

Operation System	: Gas Operated
Caliber	: 12 ga
Chamber	: 76 mm / 3"
Receiver	: 7075 Aluminum
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 61 cm (24") - 66 cm (25") - 71 cm (27") - 76 cm (29")
Buttstock	: Stable, Graded Turkish Walnut
Coating	: Blued, Nickel, Bronze, Cerakote, Camouflage
Capacity	: 4+1
Choke Options	: Mobile Choke Set
Weight	: 6,6 pounds
Overall Length	: 51,57"

LVR SERIES



LVR SERIES



LVR-910



LVR-911



LVR-912

LVR SERIES



LVR-400



LVR-410



LVR-420



LVR-430

LVR SERIES



LVR-41S



LVR-42S



LVRST-1



LVRST-2

LVR SERIES



LVRTX-1



LVRTX-2



LVRTX-3



LVRTX-4

LVR SERIES



LVRTX-5



LVRTX-6



LVRTX-7



LVRTX-8

The Ermox Lever-Action shotgun combines lightweight design with user comfort, offering enhanced visibility for hunters through adjustable rear and hooded front sights. The drilled and tapped receiver facilitates scope attachment, while the fully adjustable semi-buckhorn rear sight and brass bead front sight ensure increased accuracy. Comfortable shooting is achieved with a solid rubber recoil pad that absorbs impact, and quick and easy reloads are made possible by the convenient side gate. This shotgun delivers a seamless blend of functionality and ergonomic features for an optimal shooting experience.

TECHNICAL SPECIFICATIONS:

Operation System	: Lever Action
Caliber	: 410
Chamber	: 76mm / 3"
Receiver	: 7075 Aluminum / 4140 Forged Steel
Barrel	: 4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel	: 51 / 61 cm (20" / 24")
Buttstock	: Stable (Turkish Graded Walnut/Synthetic)
Coating	: Black, Nickel, Cerakote, Color Case
Capacity	: 20" (5+1 / 7+1) - 24" (5+1 / 7+1 / 9+1)
Choke Options	: Mobile Choke Set
Weight	: 6,6 Pounds
Overall Length	: 36" - 37"

MAGAZINES



MAGAZINES



DRUM MAGAZINE
BLACK



20 ROUND DRUM MAGAZINE MAIN SPECIFICATIONS

- 12 CALIBER 20 ROUNDS DRUM MAGAZINE IS FULLY COMPATIBLE WITH ALL 1919 TYPE SHOTGUNS.
- METAL PARTS AND INNER SPRINGS ARE REINFORCED BY HEAT TREATING PROCESS.
- THE METAL CHARGER PART IS MADE OF A SPECIAL ALLOY SHEET AND THE LOCK MECHANISMS ARE RESISTANT AGAINST CORROSION.
- PATENTED EASY LOADING HANDWHEEL MAKES IT EASIER FOR USERS TO LOAD IT COMFORTABLY.
- IT IS IMPORTANT TO CHECK OUT THE MANUAL'S GUIDE FOR THE HEALTHY USE.
- THE COLOR VARIATIONS ARE NOT COATED INORDER TO ENJOY MAXIMUM RESISTANCE AGAINST SCRAPES.
- ALL COLOR OPTIONS ARE MANUFACTURED IN A STRICT GUIDELINES TO ENSURE LONG YEARS OF USE.
- ALL DRUM MAGAZINE MODELS ARE PRODUCED TO FIT PERFECTLY ON ALL 1919 TYPE 12 CALIBER SHOTGUNS.
- ALL PRODUCTIONS ARE STANDARD AND STABLE THROUGH MOLD INJECTION SYSTEM.
- DRUM MAGAZINES ARE PRODUCED BY HEAT PROCESSED AND REINFORCED METAL PARTS COMBINED WITH REINFORCED POLYMER MATERIALS.
- ALL THE MAGAZINES ARE QUALITY TESTED AGAINST DROPS AND ENVIRONMENTAL FACTORS AND FULLY RESISTANT AGAINST ANY PHYSICAL IMPACTS THAT MIGHT OCCUR DURING SHOOTINGS.

MAGAZINES





BLACK
//////////



PARTS BLACK
//////////



BROWN
//////////



CEDAR BROWN
//////////

MAGAZINES



RED



OPTIONAL



BLACK



OPTIONAL



BROWN



OPTIONAL

SPECIFICATIONS

5 ROUND MAGAZINE

Height: 115 cm / 7 inch
Depth: 25 mm / 1 inch
Width: 77 mm / 3 inch

MAIN SPECIFICATIONS

- Fits to most 12 gauge Shell only AR and Bullpup type shotguns
- Polished Surface corrosion resistant
- Reinforced main body
- Injection mold processed
- Heat processed
- Made in Turkey

MAGAZINES



GREEN



OPTIONAL



BLUE



OPTIONAL



BLUE



OPTIONAL



GRAY



OPTIONAL

MAGAZINES



GRAY



OPTIONAL



BROWN



OPTIONAL



WHITE



OPTIONAL



GREEN




OPTIONAL

MAGAZINES



BROWN



OPTIONAL



WHITE



OPTIONAL



BLACK



OPTIONAL



ORANGE



OPTIONAL



ermox.com.tr

info@ermox.com.tr

+90 332 516 15 00

+90 544 649 28 47

Huđlu Mah. 43206. Sk. No:5

Beyřehir / Konya - Turkey